



MATERIAL SAFETY DATA SHEET

Baltic Oil (All Grades)

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Synonyms: Industrial oil; Naphthenic based oil; ISO VG 10, 22, 32, 46, 68, 100, 150
Formula: Mixture
Chemical Family: Hydrocarbon
CAS Number: Mixture
SAP Code: 1012873; 1012875; 1012876; 1012880; 1012881
Product Code: 81510; 81530; 81550
MSDS Number: 036690
NFPA Ratings: Health 0, Flammability 1, Reactivity 0
HMS Ratings: Health 0, Flammability 1, Reactivity 0
Intended Use(s): Industrial Refrigeration Compressors

The intended use of this product is indicated above, if any additional use is known please contact us at the Technical Information number listed below.

Manufactured By: Phillips 66 Company
 A Division of Phillips Petroleum Company
 Bartlesville, Oklahoma 74004

Phone Numbers

Emergency: (918) 661-8118
Technical Information: (800) 766-0050
For Additional MSDSs: (918) 661-6343

2. COMPOSITION/INFORMATION ON INGREDIENTS

This product does not meet the definition of a hazardous material given in 29 CFR Part 1910.1200 (OSHA). Information on this form is furnished as a customer service.

See Section 8 for additional Exposure Limits.

3. HAZARDS IDENTIFICATION

Emergency Overview

Non-Hazardous. Pressure Injection.

Potential Acute Health Effects

Eye Contact: May cause mild irritation.
Skin Contact: May cause mild irritation with prolonged or repeated contact.
Inhalation: No acute effects expected due to low vapor pressure.
Ingestion: Practically non-toxic (LD50 > 15 gm/kg).

Aggravated Medical Conditions: No Known Applicable Information

4. FIRST AID MEASURES

Eye Contact: Flush eyes with running water. If irritation or adverse symptoms develop, seek medical attention.

Skin Contact: Wash skin with soap and water. If irritation or adverse symptoms develop, seek medical attention.

Inhalation: Remove from exposure. If illness or adverse symptoms develop, seek medical attention.

Ingestion: If illness or adverse symptoms develop, seek medical attention.

Notes To Physician: For injection injuries, immediate medical treatment is required. Physicians may call the emergency number (918) 661-8118.

5. FIRE FIGHTING MEASURES

Flash Point: >330F (>166C)

FP Method: COC, ASTM D92

Ignition Temperature: Unknown

Flammable Limits (% by Volume in Air)

Lower Explosive Limit - Not Established

Upper Explosive Limit - Not Established

Fire Extinguishing Media: Carbon Dioxide, Dry Chemicals, Foam

Fire Fighting Procedures: Evacuate area and fight fire from a safe distance. Shut off source, if possible. Use NIOSH approved self-contained breathing apparatus and other protective equipment and/or garments described in Section 8 if conditions warrant. Use water spray to cool nearby containers and structures exposed to fire.

Fire and explosion hazards: Can be made to burn (flash point greater than 200F).

6. ACCIDENTAL RELEASE MEASURES

Sweep or gather up material and place in proper container for disposal or recovery.

7. HANDLING AND STORAGE

Avoid contact with eyes, skin or clothing. Avoid breathing vapors, mist, fume or dust. Wash thoroughly after handling. Use with adequate ventilation. Wear protective equipment and/or garments described in Section 8 if exposure conditions warrant. Launder contaminated clothing before reuse. Store in closed container. Store in well-ventilated area.

If pressure injected under the skin, can cause gangrene if not treated.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Wear safety glasses.

Respiratory Protection: For concentrations exceeding an applicable exposure limit, use NIOSH approved

air purifying respirator equipped with P95 filters, for particulate with time weighted average exposure limit not less than 0.05 mg/M3.

Skin Protection: Use gloves resistant to the material(s) contained in this product.

Ventilation: Use adequate ventilation to control concentrations below applicable exposure limits.

Other Personal Protection: Personal protection information shown in Section 8 is based upon general information as to normal uses and conditions. Where special or unusual uses or conditions exist, it is suggested that the expert assistance of an industrial hygienist or other qualified professional be sought.

Exposure Limits: OSHA PEL and ACGIH TLV for oil mists is 5 mg/m3.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Appearance:	Colorless to dark
Odor:	Mild
Odor Threshold (ppm):	Unknown
Boiling Point:	> 500F (> 260C)
Melting/Freeze Point:	Not Established
Vapor Pressure:	< 1 mm Hg @ 68F (20C)
Vapor Density (Air=1):	> 5
Specific Gravity @ 20 C (Water=1):	0.91 - 0.95 @ 60F (16C)
Percent Volatile by Volume:	Negligible
Evaporation Rate (Butyl Acetate=1):	Negligible
Water Solubility:	Negligible
Viscosity:	> 22 cSt @ 104F (40C)

10. STABILITY AND REACTIVITY

Stability:	Stable
Hazardous Polymerization:	Will Not Occur
Incompatibility (Materials to Avoid):	Oxygen and strong oxidizing agents.
Hazardous Decomposition Products:	Carbon oxides and various hydrocarbons are formed when burned.

11. TOXICOLOGICAL INFORMATION

Subchronic and Chronic Effects:

Prolonged and repeated exposure to oil mist poses a risk of pulmonary disease such as lung inflammation. This condition usually causes no symptoms.

Other Health Effects:

Pressurized injection of product under the skin can lead to seriously inflamed tissue. If left untreated injury can become gangrenous.

Continuous skin contact with used motor oils has caused skin cancer in laboratory animals. Avoid prolonged skin contact with used motor oil.

Acute Data:

No data available.

12. ECOLOGICAL INFORMATION

No data at this time.

13. DISPOSAL CONSIDERATIONS

Disposal should be made in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

Ground Transportation

DOT Shipping Description: Not Regulated

15. REGULATORY INFORMATION

Additional Information:

This product is in U.S. commerce, and is listed in the Toxic Substances Control Act (TSCA) Inventory of Chemicals; hence, it may be subject to applicable TSCA provisions and restrictions.

All ingredients are listed in the Domestic Substances List (DSL). Impurities are exempt in accordance with Section 3 of the Canadian Environmental Protection Act (CEPA).

As of the preparation date, this product did not contain a chemical or chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

EPA SARA 311/312 (Title III Hazard Categories)

Acute Health:	No
Chronic Health:	No
Fire Hazard:	No
Pressure Hazard:	No
Reactivity Hazard:	No

16. OTHER INFORMATION

Revision Summary:

Section 1. Chemical Product and Company Identification.

Preparer:	Health, Environment and Safety Department
Date Prepared:	01/22/2002
Supersedes:	05/25/2001

Phillips Petroleum Company (references to Phillips Petroleum Company or Phillips includes its divisions, affiliates and subsidiaries) believes that the information contained herein (including data and statements) is accurate as of the date hereof. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE AS CONCERNS THE INFORMATION HEREIN PROVIDED. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and information referred to herein are beyond the control of Phillips, Phillips expressly disclaim any and all liability as to any results obtained or arising from any use of the product or such information. No statement made herein shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents.