



MATERIAL SAFETY DATA SHEET

Syndustrial R

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Synonyms: None
Formula: Mixture
Chemical Family: Synthetic Hydrocarbon
CAS Number: Mixture
SAP Code: 1036961; 1036982; 1036983
Product Code: 84680
MSDS Number: US716100
NFPA Ratings: Health 0, Flammability 1, Reactivity 0
HMIS Ratings: Health 0, Flammability 1, Reactivity 0
Intended Use(s): Industrial refrigeration compressor lubricant

The intended use of this product is indicated above, if any additional use is known please contact us at the Technical Information number listed below.

Manufactured By:
 Phillips 66 Company
 A Division of Phillips Petroleum Company
 Bartlesville, Oklahoma 74004

Phone Numbers
Emergency: (918) 661-8118
Technical Information: (800) 766-0050
For Additional MSDSs: (918) 661-5974

2. COMPOSITION/INFORMATION ON INGREDIENTS

This product does not meet the definition of a hazardous material given in 29 CFR Part 1910.1200 (OSHA). Information on this form is furnished as a customer service.

See Section 8 for additional Exposure Limits.

3. HAZARDS IDENTIFICATION

Emergency Overview

Non-Hazardous. Pressure Injection.

Potential Acute Health Effects

Eye Contact: May cause mild irritation.

Skin Contact: May cause mild irritation with prolonged or repeated contact.

Inhalation: No acute effects expected due to low vapor pressure.

Ingestion: No acute effects expected under normal conditions of industrial use.

Aggravated Medical No Known Applicable Information

Conditions:**4. FIRST AID MEASURES**

Eye Contact: Flush eyes with running water. If irritation or adverse symptoms develop, seek medical attention.

Skin Contact: Wash skin with soap and water. If irritation or adverse symptoms develop, seek medical attention.

Inhalation: Remove from exposure. If illness or adverse symptoms develop, seek medical attention.

Ingestion: If illness or adverse symptoms develop, seek medical attention.

Notes To Physician: For injection injuries, immediate medical treatment is required. Physicians may call the emergency number (918) 661-8118.

5. FIRE FIGHTING MEASURES

Flash Point: > 430F (> 221C)

FP Method: Unknown

Ignition Temperature: Unknown

Flammable Limits (% by Volume in Air)

Lower Explosive Limit - Not Established

Upper Explosive Limit - Not Established

Fire Extinguishing Media: Dry chemical, foam or carbon dioxide (CO₂), water

Fire Fighting Procedures: Evacuate area and fight fire from a safe distance. Shut off source, if possible. Use NIOSH approved self-contained breathing apparatus and other protective equipment and/or garments described in Section 8 if conditions warrant. Use water spray to cool nearby containers and structures exposed to fire.

Fire and explosion hazards: Carbon oxides formed when burned.

6. ACCIDENTAL RELEASE MEASURES

Sweep or gather up material and place in proper container for disposal or recovery.

7. HANDLING AND STORAGE

Avoid contact with eyes, skin or clothing. Avoid breathing vapors, mist, fume or dust. Wash thoroughly after handling. Use with adequate ventilation. Wear protective equipment and/or garments described in Section 8 if exposure conditions warrant. Launder contaminated clothing before reuse. Store in closed container. Store in well-ventilated area.

If pressure injected under the skin, can cause gangrene if not treated.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Wear safety glasses.

Respiratory Protection: Not generally required under normal conditions of use with adequate ventilation.

For concentrations exceeding an applicable exposure limit, use NIOSH approved air purifying respirator equipped with P95 filters, for particulate with time weighted average exposure limit not less than 0.5 mg/M3.

Skin Protection: Use gloves resistant to the material(s) contained in this product.

Ventilation: Use adequate ventilation.

Other Personal Protection: Personal protection information shown in Section 8 is based upon general information as to normal uses and conditions. Where special or unusual uses or conditions exist, it is suggested that the expert assistance of an industrial hygienist or other qualified professional be sought.

Exposure Limits: OSHA PEL and ACGIH TLV for oil mists is 5 mg/m3.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Appearance:	Bright and clear
Odor:	Mild
Odor Threshold (ppm):	Unknown
Boiling Point:	> 650F (> 343C)
Melting/Freeze Point:	Not Established
Vapor Pressure:	< 0.10 mm Hg @ 20C
Vapor Density (Air=1):	Not Established
Specific Gravity @ 20 C (Water=1):	0.82 - 0.85
Percent Volatile by Volume:	Unknown
Evaporation Rate (Butyl Acetate=1):	Not Established
Water Solubility:	Negligible
Viscosity:	Not Established

10. STABILITY AND REACTIVITY

Stability:	Stable
Hazardous Polymerization:	Will Not Occur
Incompatibility (Materials to Avoid):	Strong oxidizing agents.
Hazardous Decomposition Products:	Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Subchronic and Chronic Effects:

Prolonged and repeated exposure to oil mist poses a risk of pulmonary disease such as lung inflammation. This condition usually causes no symptoms.

Other Health Effects:

Pressurized injection of product under the skin can lead to seriously inflamed tissue. If left untreated injury can become gangrenous.

Continuous skin contact with used motor oils has caused skin cancer in laboratory animals. Avoid prolonged skin contact with used motor oil.

12. ECOLOGICAL INFORMATION

No data at this time.

13. DISPOSAL CONSIDERATIONS

Disposal should be made in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT Shipping Description: Not Regulated

IMDG Shipping Description: Not Regulated

ICAO/IATA Proper Shipping Name: Not Regulated

15. REGULATORY INFORMATION

Additional Information:

As of the preparation date, this product did not contain a chemical or chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

All components are included on the TSCA Inventory and are in compliance with the TSCA.

EPA SARA 311/312 (Title III Hazard Categories)

Acute Health: No

Chronic Health: No

Fire Hazard: No

Pressure Hazard: No

Reactivity Hazard: No

16. OTHER INFORMATION

Revision Summary: New MSDS.

Preparer: Health, Environment and Safety Department

Date Prepared: 06/28/2001

Phillips Petroleum Company (references to Phillips Petroleum Company or Phillips includes its divisions, affiliates and subsidiaries) believes that the information contained herein (including data and statements) is accurate as of the date hereof. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE AS CONCERNS THE INFORMATION HEREIN PROVIDED. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and information referred to herein are beyond the control of Phillips, Phillips expressly disclaim any and all liability as to any results obtained or arising from any use of the product or such information. No statement made herein shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents.